IN THE CLAIMS:

- 1. (Cancelled)
- 2. (Previously Presented) The primer composition according to claim 3 which has a content of the organic solvent (II) of from 100 to 4000 parts by weight based on 100 parts by weight of the modified copolymer (I).
 - 3. (Currently Amended) A primer composition comprising:
- (I) a modified <u>copolymer</u> (co)polymer obtained by addition of a polar group represented by the following formula (1) or (2)

$$-CH-C(O) - (OC_2H_4)_2-OH$$
 (1)

$$CHR^{1}-C(O)-(OC_{2}H_{4})_{2}-OH$$

$$-CH-C(O)-OH$$
 (2)

wherein in the formulas (1) and (2), R^1 is hydrogen or an alkyl group of 1 to 6 carbon atoms, to at least one $\frac{\text{(co)polymer}}{\text{copolymer}}$ selected from the group consisting of

- (A) an olefin (co)polymer copolymer,
- (B) a halogenated olefin (co)polymer copolymer,
- (C) a styrene/conjugated diene/styrene tri-block copolymer or its hydrogenated product and

(D) a halogenated styrene/conjugated diene/styrene tri-block copolymer or its hydrogenated product,

wherein the modified <u>copolymer</u> (co)polymer contains the polar group in an amount of from 1×10^{-3} to 250×10^{-3} mol based on 100 g of the modified (co)polymer copolymer, and

- (II) an organic solvent.
- 4. (Previously Presented) The primer composition according to claim 3, wherein the modified copolymer (I) is obtained by modifying a maleic anhydric-grafted copolymer with diethylene glycol.
- 5. (Previously Presented) The primer composition according to claim 4, wherein the maleic anhydride-grafted copolymer is maleic anhydride-grafted propylene/ethylene copolymer.